

The **required options** and **general use requirements** stated below **must be followed**. Please note, even though the fixtures listed are certified, they may not be appropriate on all properties or locations on a property.

The items listed below are intended to act as a resource to assist in identifying products that have been certified through the Wildlife Lighting Program. To purchase these products, please contact the manufacturers or distributors of these products.

General Use Requirements:

- Lamp with a red, orange, or amber LED.
- Must be mounted recessed under steps, bar, etc. and directed down to assure that light source or reflected light is not visible from beach.
- If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.

	<p>Name: SL-42-LG_SL-43 Ledge Light Series Catalog Number: SL-42LG-LEDSTF; SL-43LG-LEDSTF Manufacturer: Focus Industries Required Options: Amber LED Link: Focus Industries Wildlife Lighting Certification Number: 2018-043 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: SL42-SM2 / SL43-SM2 Ledge & Rail Light Series Catalog Number: SL42-SM2; SL43-SM2 Manufacturer: Focus Industries Required Options: Amber LED Link: Focus Industries Wildlife Lighting Certification Number: 2018-043 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>



Name: Lumenlinear Symmetric
Catalog Number: LULS AMB 14 &) XS-XX
Manufacturer: Wagner Architectural
Light Source: Must be installed with the approved integrated AmberLED
Link: [Wagner Architectural](#)
Wildlife Lighting Certification Number: 2018-041
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.



Name: Lumenlinear Asymmetric
Catalog Number: LULS AMB 14 70 XA-XX
Manufacturer: Wagner Architectural
Light Source: Must be installed with the approved integrated Amber LED
Link: [Wagner Architectural](#)
Wildlife Lighting Certification Number: 2018-041
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.



Name: Lumenpod 16
Catalog Number: LULF AMB XXX
Manufacturer: Wagner Architectural
Light Source: Must be installed with the approved integrated AmberLED
Link: [Wagner Architectural](#)
Wildlife Lighting Certification Number: 2018-041
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.



Name: Lumenpod 28 Symmetric
Catalog Number: LULR XX AMB S X
Manufacturer: Wagner Architectural
Light Source: Must be installed with the approved integrated Amber LED
Link: [Wagner Architectural](#)
Wildlife Lighting Certification Number: 2018-041
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.

	<p>Name: Lumenpod 28 Asymmetric Catalog Number: LULR XX AMB A X Manufacturer: Wagner Architectural Light Source: Must be installed with the approved integrated Amber LED Link: Wagner Architectural Wildlife Lighting Certification Number: 2018-041 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: FLEX+DC+88+AMBER Catalog Number: FLEX+DC+88+AMBER Manufacturer: Optic Arts Light Source: Must be installed with the approved integrated Amber LED Link: Optic Arts Wildlife Lighting Certification Number: 2018-023 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: FLEX+DC+44+AMBER Catalog Number: FLEX+DC+44+AMBER Manufacturer: Optic Arts Light Source: Must be installed with the approved integrated Amber LED Link: Optic Arts Wildlife Lighting Certification Number: 2018-023 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: FLEX+DC+30+AMBER Catalog Number: FLEX+DC+30+AMBER Manufacturer: Optic Arts Light Source: Must be installed with the approved integrated Amber LED Link: Optic Arts Wildlife Lighting Certification Number: 2018-023 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>

	<p>Name: FLEX+DC+22+AMBER Catalog Number: FLEX+DC+22+AMBER Manufacturer: Optic Arts Light Source: Must be installed with the approved integrated Amber LED Link: Optic Arts Wildlife Lighting Certification Number: 2018-023 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: FLEX+DC+15+AMBER Catalog Number: FLEX+DC+15+AMBER Manufacturer: Optic Arts Light Source: Must be installed with the approved integrated Amber LED Link: Optic Arts Wildlife Lighting Certification Number: 2018-023 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: Neon Flex - IP68 Wet Location - Amber Catalog Number: NF/SP-Neon-W-Round-24V-Yellow Manufacturer: Nova Flex Light Source: Must be installed with the approved integrated Amber LED Link: Nova Flex Wildlife Lighting Certification Number: 2018-020 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: Neon Flex - IP68 Wet Location - Red Catalog Number: NF/SP-Neon-W-Round-24V-Red Manufacturer: Nova Flex Light Source: Must be installed with the approved integrated Amber LED Link: Nova Flex Wildlife Lighting Certification Number: 2018-020</p>

	<p>General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: PRO 240 Series Amber - IP68 Wet Location Catalog Number: NF/SP-Y-O-240-12V-IP68WE; NF/SP-Y-O-240-24V-IP68WE Manufacturer: Nova Flex Light Source: Must be installed with the approved integrated Amber LED Link: Nova Flex Wildlife Lighting Certification Number: 2018-020 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: PRO 120 Series Amber - IP68 Wet Location Catalog Number: NF/SP-Y-O-120-12V-IP68WE; NF/SP-Y-O-120-24V-IP68WE Manufacturer: Nova Flex Light Source: Must be installed with the approved integrated Amber LED Link: Nova Flex Wildlife Lighting Certification Number: 2018-020 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: PRO 60 Series Amber - IP68 Wet Location Catalog Number: NF/SP-Y-O-60-12V-IP68WE; NF/SP-Y-O-60-24V-IP68WE Manufacturer: Nova Flex Light Source: Must be installed with the approved integrated Amber LED Link: Nova Flex Wildlife Lighting Certification Number: 2018-020 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>

	<p>Name: PRO 240 Series Red - IP68 Wet Location Catalog Number: NF/SP-R-O-240-12V-IP68WE; NF/SP-R-O-240-24V-IP68WE Manufacturer: Nova Flex Light Source: Must be installed with the approved integrated Amber LED Link: Nova Flex Wildlife Lighting Certification Number: 2018-020 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: PRO 120 Series Red - IP68 Wet Location Catalog Number: NF/SP-R-O-60-12V-IP68WE; NF/SP-R-O-120-24V-IP68WE Manufacturer: Nova Flex Light Source: Must be installed with the approved integrated Amber LED Link: Nova Flex Wildlife Lighting Certification Number: 2018-020 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: PRO 60 Series Red - IP68 Wet Location Catalog Number: NF/SP-R-O-60-12V-IP68WE; NF/SP-R-O-60-24V-IP68WE Manufacturer: Nova Flex Light Source: Must be installed with the approved integrated Amber LED Link: Nova Flex Wildlife Lighting Certification Number: 2018-020 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: HUE Series: Lava Ribbon (Exterior) Catalog Number: HUEWL-LAVA-SO Manufacturer: Omnilight Light Source: Must be installed with the approved integrated Amber LED Link: Omnilight Wildlife Lighting Certification Number: 2018-006</p>

	<p>General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: Strip Light Catalog Number: BRI SL3 Amber 65 Manufacturer: Brilliance LED Light Source: Must be installed with the approved integrated Amber LED Link: Brilliance LED Wildlife Lighting Certification Number: 2018-036 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach.</p>
	<p>Name: Fluidview 12V LED Tape Light Catalog Number: DI-12V-FVAM-80** Manufacturer: Diode LED Light Source: Must be installed with the approved integrated Amber LED Link: Diode LED Wildlife Lighting Certification Number: 2018-011 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Fluidview 12V Wet Location LED Strip Light Catalog Number: DI-12V-FVAM-W8016 Manufacturer: Diode LED Light Source: Must be installed with the approved integrated Amber LED Link: Diode LED Wildlife Lighting Certification Number: 2018-012 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>



Name: Owl Turtle Friendly Light (Micro II Series)
Catalog Number: OWLTF-AM/RO/RD/ER-BR/BLK
Manufacturer: Garden Light LED
Light Source: Must be installed with the approved integrated Amber, Red/Orange, Red or Extreme Red LED
Link: [Garden Light LED](#)
Wildlife Lighting Certification Number: 2018-063
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. Must be installed with Cutoff Shield




Name: Micro Max II Turtle Friendly (Micro II Series)
Catalog Number: MM2TF-AM/RO/RD/ER-BR/SSA
Manufacturer: Garden Light LED
Light Source: Must be installed with the approved integrated Amber, Red/Orange, Red or Extreme Red LED
Link: [Garden Light LED](#)
Wildlife Lighting Certification Number: 2018-063
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. Must be installed with Cutoff Shield



Name: Acolyte Amber RibbonLyte 1.5
Catalog Number: RB**121.5A or RB**241.5A
Manufacturer: Acolyte LED
Light Source: Must be installed with the approved integrated Amber LED
Link: [Acolyte LED](#)
Wildlife Lighting Certification Number: 2017-014
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.

	<p>Name: Acolyte Amber RibbonLyte 2.2 Catalog Number: RB**122.2A or RB**242.2A Manufacturer: Acolyte LED Light Source: Must be installed with the approved integrated Amber LED Link: Acolyte LED Wildlife Lighting Certification Number: 2017-015 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Acolyte Amber RibbonLyte 3.0 Catalog Number: RB**123.0A or RB**243.0A Manufacturer: Acolyte LED Light Source: Must be installed with the approved integrated Amber LED Link: Acolyte LED Wildlife Lighting Certification Number: 2017-016 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Acolyte Amber RibbonLyte 4.4 Catalog Number: RB**124.4A or RB**244.4A Manufacturer: Acolyte LED Light Source: Must be installed with the approved integrated Amber LED Link: Acolyte LED Wildlife Lighting Certification Number: 2017-017 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>

	<p>Name: Acolyte Amber RibbonLyte 5.0 Catalog Number: RB**125.0A or RB**245.0A Manufacturer: Acolyte LED Light Source: Must be installed with the approved integrated Amber LED Link: Acolyte LED Wildlife Lighting Certification Number: 2017-018 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Acolyte Amber RibbonLyte 6.0 Catalog Number: RB**126.0A or RB**246.0A Manufacturer: Acolyte LED Light Source: Must be installed with the approved integrated Amber LED Link: Acolyte LED Wildlife Lighting Certification Number: 2017-019 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Acolyte Amber RibbonLyte 8.8 Catalog Number: RB**128.8A or RB**248.8A Manufacturer: Acolyte LED Light Source: Must be installed with the approved integrated Amber LED Link: Acolyte LED Wildlife Lighting Certification Number: 2017-020 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>



Name: Turtle Flex Basic Amber
Catalog Number: LN-11X26-24V-X
Manufacturer: Green LED Lighting Solutions
Light Source: Must be installed with the approved integrated Amber LED
Link: [Day One Lighting](#)
Wildlife Lighting Certification Number: 2018-045
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.



Name: Turtle Flex Contour 12V and Turtle Flex Contour 24V
Catalog Number: LN-9X18-12V-X and LN-9X18-24V-X
Manufacturer: Green LED Lighting Solutions
Light Source: Must be installed with the approved integrated Amber LED
Link: [Day One Lighting](#)
Wildlife Lighting Certification Number: 2018-045
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.



Name: Turtle Flex S160
Catalog Number: LN-11X21-24V-X
Manufacturer: Green LED Lighting Solutions
Light Source: Must be installed with the approved integrated Amber LED
Link: [Day One Lighting](#)
Wildlife Lighting Certification Number: 2018-045
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.

	<p>Name: Turtle Flex Wave Catalog Number: LN-16X17-24V-X Manufacturer: Green LED Lighting Solutions Light Source: Must be installed with the approved integrated Amber LED Link: Day One Lighting Wildlife Lighting Certification Number: 2018-045 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Turtle Flex Wave 320 Amber or Red Catalog Number: LN-16X17-320-24V-X Manufacturer: Green LED Lighting Solutions Light Source: Must be installed with the approved integrated Amber LED Link: Day One Lighting Wildlife Lighting Certification Number: 2018-045 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Turtle Flex Wave 320 Amber or Red Catalog Number: LN-10X10-24V-X Manufacturer: Green LED Lighting Solutions Light Source: Must be installed with the approved integrated Amber LED Link: Day One Lighting Wildlife Lighting Certification Number: 2018-045 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>



Name: Flexible LED Strip
Catalog Number: K-Yellow-1210-24
Manufacturer: KLUS Design
Light Source: Must be installed with the approved integrated Amber LED
Link: [KLUS Design](#)
Wildlife Lighting Certification Number: 2019-056
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.



Name: Flexible LED Strip
Catalog Number: K-Yellow-1220-24
Manufacturer: KLUS Design
Light Source: Must be installed with the approved integrated Amber LED
Link: [KLUS Design](#)
Wildlife Lighting Certification Number: 2019-058
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.



Name: Flexible LED Strip
Catalog Number: K-Yellow-1275-24
Manufacturer: KLUS Design
Light Source: Must be installed with the approved integrated Amber LED
Link: [KLUS Design](#)
Wildlife Lighting Certification Number: 2019-060
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.



Name: Flexible LED Strip
Catalog Number: WPK-Yellow-1210-24
Manufacturer: KLUS Design
Light Source: Must be installed with the approved integrated Amber LED
Link: [KLUS Design](#)
Wildlife Lighting Certification Number: 2019-055
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.



Name: Flexible LED Strip
Catalog Number: WPK-Yellow-1220-24
Manufacturer: KLUS Design
Light Source: Must be installed with the approved integrated Amber LED
Link: [KLUS Design](#)
Wildlife Lighting Certification Number: 2019-057
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.



Name: Flexible LED Strip
Catalog Number: WPK-Yellow-1275-24
Manufacturer: KLUS Design
Light Source: Must be installed with the approved integrated Amber LED
Link: [KLUS Design](#)
Wildlife Lighting Certification Number: 2019-059
General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.

	<p>Name: SC24/5.0-Dry-Amber Catalog Number: SC24/5.0-Dry-A Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-077 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: SC24/5.0-Dry-A590 Catalog Number: SC24/5.0-Dry-A590 Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-078 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: SC24/5.0-Dry-Red Catalog Number: SC24/5.0-Dry-R Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-079 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>

	<p>Name: SC24/5.0-Wet-Amber Catalog Number: SC24/5.0-Wet-A Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-080 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: SC24/5.0-Wet-A590 Catalog Number: SC24/5.0-Wet-A590 Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-081 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: SC24/5.0-Wet-Red Catalog Number: SC24/5.0-Wet-R Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-082 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>

	<p>Name: BOXA-SC24/5.0-Dry-Amber Catalog Number: BOXA-SC24/5.0-Dry-A Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-083 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: BOXA-SC24/5.0-Dry-A590 Catalog Number: BOXA-SC24/5.0-Dry-A590 Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-084 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: BOXA-SC24/5.0-Wet-Amber Catalog Number: BOXA-SC24/5.0-Wet-A Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-085 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>

	<p>Name: BOXA-SC24/5.0-Wet-A590 Catalog Number: BOXA-SC24/5.0-Wet-A590 Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-086 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: KURV-SC24/5.0-Dry-Amber Catalog Number: KURV-SC24/5.0-Dry-A Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-087 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: KURV-SC24/5.0-Dry-A590 Catalog Number: KURV-SC24/5.0-Dry-A590 Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-088 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>

	<p>Name: KURV-SC24/5.0-Wet-Amber Catalog Number: KURV-SC24/5.0-Wet-A Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-089 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: KURV-SC24/5.0-Wet-A590 Catalog Number: KURV-SC24/5.0-Wet-A590 Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-090 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: ZALA-SC24/5.0-Dry-Amber Catalog Number: ZALA-SC24/5.0-Dry-A Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-091 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>

	<p>Name: ZALA-SC24/5.0-Wet-Amber Catalog Number: ZALA-SC24/5.0-Wet-A Manufacturer: Q-Tran Light Source: Must be installed with the approved integrated Amber LED Link: Q-Tran Wildlife Lighting Certification Number: 2019-092 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Amber & Dual Amber LED VaporTight Catalog Number: TFX4-AMB Manufacturer: G&G Industrial Lighting Light Source: Must be installed with the approved integrated Amber LED Link: G&G Industrial Lighting Wildlife Lighting Certification Number: 2019-175 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>
	<p>Name: Amber Light Bars Catalog Number: BRI-LB-xx-LED-x Manufacturer: Brilliance LED Light Source: Must be installed with the approved integrated Amber LED Link: Brilliance LED Wildlife Lighting Certification Number: 2019-270 General Use Requirements: Must be installed in a low, shielded location and directing the light downward and away from the beach. If used in a fixture, the fixture must meet the FWC Lighting Guidelines for the appropriate fixture type.</p>