

The **required options** for each fixture listed below **must be followed**. Please note, even though the fixtures listed are certified, they may not be appropriate on all properties or locations on a property.

The items listed below are intended to act as a resource to assist in identifying products that have been certified through the Wildlife Lighting Program. To purchase these products, please contact the manufacturers or distributors of these products.

Be sure to return to this document often, as new information is added regularly.

Path Lights

	<p>Name: AL-01-TF Area Light Series Catalog Number: AL-01 Series Manufacturer: Focus Industries Required Options: Amber LED Link: Focus Industries Wildlife Lighting Certification Number: 2018-043</p> <ul style="list-style-type: none">▪ Must be downward directed.▪ Maximum mounting height of 24" from the ground.▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: PL-01 Path Light Series Catalog Number: PL-01 Manufacturer: Focus Industries Required Options: Amber LED Link: Focus Industries Wildlife Lighting Certification Number: 2018-043</p> <ul style="list-style-type: none">▪ Must be downward directed.▪ Maximum mounting height of 24" from the ground.▪ Additional shielding may be necessary if visible from the beach.



Name: E1-S
Catalog Number: E1-S-2W-A
Manufacturer: Beachside Lighting
Required Options: Amber LED
Link: [Beachside Lighting](#)
Wildlife Lighting Certification Number: 2018-029

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: aBaron-18
Catalog Number: aBaron-18
Manufacturer: Holm
Required Options: Amber LED
Link: [Holm](#)
Wildlife Lighting Certification Number: 2018-053

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: aCount-18
Catalog Number: aCount-18
Manufacturer: Holm
Required Options: Amber LED
Link: [Holm](#)
Wildlife Lighting Certification Number: 2018-053

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.

	<p>Name: aDuke-18 Catalog Number: aDuke-18 Manufacturer: Holm Required Options: Amber LED Link: Holm Wildlife Lighting Certification Number: 2018-053</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: aEmpress-18 Catalog Number: aEmpress-18 Manufacturer: Holm Required Options: Amber LED Link: Holm Wildlife Lighting Certification Number: 2018-053</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: aQueen-18 Catalog Number: aQueen-18 Manufacturer: Holm Required Options: Amber LED Link: Holm Wildlife Lighting Certification Number: 2018-053</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.




Name: CA Path Light
Catalog Number: CA Path Light
Manufacturer: FX Luminaire
Required Options: Amber LED
Link: [FX Luminaire](#)
Wildlife Lighting Certification Number: 2018-054

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: CB Path Light
Catalog Number: CB Path Light
Manufacturer: FX Luminaire
Required Options: Amber LED
Link: [FX Luminaire](#)
Wildlife Lighting Certification Number: 2018-054

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: CV Path Light
Catalog Number: CV Path Light
Manufacturer: FX Luminaire
Required Options: Amber LED
Link: [FX Luminaire](#)
Wildlife Lighting Certification Number: 2018-054

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: DM Path Light
Catalog Number: DM Path Light
Manufacturer: FX Luminaire
Required Options: Amber LED
Link: [FX Luminaire](#)
Wildlife Lighting Certification Number: 2018-054

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: JS Path Light
Catalog Number: JS Path Light
Manufacturer: FX Luminaire
Required Options: Amber LED
Link: [FX Luminaire](#)
Wildlife Lighting Certification Number: 2018-054

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: M3
Catalog Number: M3
Manufacturer: Beachside Lighting
Required Options: Amber LED
Link: [Beachside Lighting](#)
Wildlife Lighting Certification Number: 2018-029

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: M5
Catalog Number: M5
Manufacturer: Beachside Lighting
Required Options: Amber LED
Link: [Beachside Lighting](#)
Wildlife Lighting Certification Number: 2018-029

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: M6
Catalog Number: M6
Manufacturer: Beachside Lighting
Required Options: Amber LED
Link: [Beachside Lighting](#)
Wildlife Lighting Certification Number: 2018-029

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: M7
Catalog Number: M7
Manufacturer: Beachside Lighting
Required Options: Amber LED
Link: [Beachside Lighting](#)
Wildlife Lighting Certification Number: 2018-029

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.

	<p>Name: M8 Catalog Number: M8 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R-003 Catalog Number: R-003 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R-003A Catalog Number: R-003A Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R3 Catalog Number: R3 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed.

	<ul style="list-style-type: none"> ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R3A Catalog Number: R3A Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R-005 Catalog Number: R-005 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R5 Catalog Number: R5 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.

	<p>Name: R-007 Catalog Number: R-007 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R7 Catalog Number: R7 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R-008 Catalog Number: R-008 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R8 Catalog Number: R8 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed.

	<ul style="list-style-type: none"> ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R-019 Catalog Number: R-019 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: R19 Catalog Number: R19 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: PLTF-800 Catalog Number: PLTF-800 Manufacturer: Garden Light LED Required Options: Amber LED Link: Garden Light LED Wildlife Lighting Certification Number: 2018-063</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.

	<p>Name: PL013-TF Catalog Number: PL013-TF Manufacturer: Garden Light LED Required Options: Amber LED Link: Garden Light LED Wildlife Lighting Certification Number: 2018-063</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: PL006-TF Catalog Number: PL006-TF Manufacturer: Garden Light LED Required Options: Amber LED Link: Garden Light LED Wildlife Lighting Certification Number: 2018-063</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: SPJ-MA-20-TF Catalog Number: SPJ-MA-20-TF Manufacturer: SPJ Lighting Required Options: Amber LED Link: SPJ Lighting Wildlife Lighting Certification Number: 2019-159</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: SPJ-SQ100-1 Catalog Number: SPJ-SQ100-1 Manufacturer: SPJ Lighting Required Options: Amber LED Link: SPJ Lighting Wildlife Lighting Certification Number: 2019-163</p> <ul style="list-style-type: none"> ▪ Must be downward directed.

	<ul style="list-style-type: none"> ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: SPJ10-01 Catalog Number: SPJ10-01 Manufacturer: SPJ Lighting Required Options: Amber LED Link: SPJ Lighting Wildlife Lighting Certification Number: 2019-164</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: SPJ11-03 Catalog Number: SPJ11-03 Manufacturer: SPJ Lighting Required Options: Amber LED Link: SPJ Lighting Wildlife Lighting Certification Number: 2019-165</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: 5in China Hat Mini Path Light Catalog Number: BDL-322-BBZ-MINI-TS Manufacturer: VOLT Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: VOLT Lighting Wildlife Lighting Certification Number: 2019-184</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.



Name: 5in China Hat Path Light
Catalog Number: BDL-322-BBZ-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-185

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: 7in China Hat Mini Path Light
Catalog Number: BDL-320-BBZ-MINI-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-186

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: 7in China Hat Path Light
Catalog Number: BDL-320-BBZ-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-187

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: Conehead Mini Path Light
Catalog Number: BDL-310-BBZ-MINI-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-188

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: Conehead Path Light
Catalog Number: BDL-310-BBZ-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-189

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: Max Spread Mini Path Light
Catalog Number: BDL-330-BBZ-MINI-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-192

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.

	<p>Name: Max Spread Path Light Catalog Number: BDL-330-BBZ-TS Manufacturer: VOLT Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: VOLT Lighting Wildlife Lighting Certification Number: 2019-193</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Modernelle Path Light Catalog Number: VPL-1001-4-BBZ-TS Manufacturer: VOLT Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: VOLT Lighting Wildlife Lighting Certification Number: 2019-194</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Mushroom Hat Mini Path Light Catalog Number: BDL-340-BBZ-MINI-TS Manufacturer: VOLT Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: VOLT Lighting Wildlife Lighting Certification Number: 2019-197</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.



Name: Mushroom Hat Path Light
Catalog Number: BDL-340-BBZ-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-198

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: Parasol Mini Path Light
Catalog Number: BDL-304-07-BBZ-MINI-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-199

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: Parasol Path Light
Catalog Number: BDL-304-07-BBZ-TS
Manufacturer: VOLT Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [VOLT Lighting](#)
Wildlife Lighting Certification Number: 2019-200

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.

	<p>Name: Stratum Two Tier 9in Path Light Catalog Number: BDL-300-09-BBZ-TS Manufacturer: VOLT Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: VOLT Lighting Wildlife Lighting Certification Number: 2019-202</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Stratum Two Tier 12in Path Light Catalog Number: BDL-300-12-BBZ-TS Manufacturer: VOLT Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: VOLT Lighting Wildlife Lighting Certification Number: 2019-203</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Low Voltage Landscape Pathlight Catalog Number: BP118BZ-A, BP118BZ-2A, BP128BZ-A, BP128BZ-2A, BP156BZ-A, BP156BZ-2A Manufacturer: Lite the Nite Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: Lite the Nite Wildlife Lighting Certification Number: 2019-205</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.



Name: 5in DynastyPro Mini Path Light
Catalog Number: AAR-3508-MINI-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-209

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: 5in DynastyPro Path Light
Catalog Number: AAR-3508-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-210

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: 7in DynastyPro Mini Path Light
Catalog Number: AAR-3507-MINI-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-211

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: 7in DynastyPro Path Light
Catalog Number: AAR-3507-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-212

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: ConexPro Mini Path Light
Catalog Number: AAR-3506-MINI-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-213

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: ConexPro Path Light
Catalog Number: AAR-3506-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-214

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.

	<p>Name: TerrainPro Mini Path Light Catalog Number: AAR-3509-MINI-B-BZ-TS Manufacturer: AMP Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: AMP Lighting Wildlife Lighting Certification Number: 2019-219</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: TerrainPro Path Light Catalog Number: AAR-3509-B-BZ-TS Manufacturer: AMP Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: AMP Lighting Wildlife Lighting Certification Number: 2019-220</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: NovellePro Path Light Catalog Number: APL-3012-4-B-BZ-TS Manufacturer: AMP Lighting Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb Link: AMP Lighting Wildlife Lighting Certification Number: 2019-221</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.



Name: EllipsePro Mini Path Light
Catalog Number: AAR-3510-MINI-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-224

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: EllipsePro Path Light
Catalog Number: AAR-3510-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-225

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: MarqueePro Mini Path Light
Catalog Number: AAR-3505-MINI-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-226

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: MarqueePro Path Light
Catalog Number: AAR-3505-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-227

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: StetsonPro 9in Path Light
Catalog Number: AAR-3500-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-229

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: StetsonPro 12in Path Light
Catalog Number: AAR-3501-B-BZ-TS
Manufacturer: AMP Lighting
Required Options: Lamp/bulb not included. Must be lamped with a wildlife certified bulb
Link: [AMP Lighting](#)
Wildlife Lighting Certification Number: 2019-230

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: X1, X1-S, X2, X2-S
Catalog Number: X1-xx-2W-A-NO, X1-S-xx-2W-A-NO, X2-xx-2W-A-NO, X2-S-xx-2W-A-NO
Manufacturer: Beachside Lighting
Required Options: Amber LED
Link: [Beachside Lighting](#)
Wildlife Lighting Certification Number: 2019-232

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.




Name: ZION 4" Path Light
Catalog Number: ZIONPL-4-G4
Manufacturer: Brilliance LED
Required Options: Amber LED
Link: [Brilliance LED](#)
Wildlife Lighting Certification Number: 2019-267

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.



Name: SEQUOIA 7" Path Light
Catalog Number: SEQUOIA PL-7-G4
Manufacturer: Brilliance LED
Required Options: Amber LED
Link: [Brilliance LED](#)
Wildlife Lighting Certification Number: 2019-268

- Must be downward directed.
- Maximum mounting height of 24" from the ground.
- Additional shielding may be necessary if visible from the beach.

	<p>Name: Amber and Red Sunset Light Path Lights Catalog Number: Amber and Red Sunset Light Path Lights Manufacturer: Lanai Lights Required Options: Amber or Red LED Link: Lanai Lights Wildlife Lighting Certification Number: 2019-271</p> <ul style="list-style-type: none"> ▪ Must be downward directed. ▪ Maximum mounting height of 24" from the ground. ▪ Additional shielding may be necessary if visible from the beach.
---	---

Pavers

	<p>Name: 1-LED-In-Ground-Turtle-Light Catalog Number: 1-LED-In-Ground-Turtle-Light Manufacturer: Eco-\$mart Required Options: Amber LED Link: Eco-\$mart Wildlife Lighting Certification Number: 2018-056</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.
	<p>Name: IIRPM LS1000+ Catalog Number: IIRPM LS1000+ Manufacturer: Lux Solar Required Options: Amber LED Link: Lux Solar Wildlife Lighting Certification Number: 2018-059</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.

	<p>Name: E3-M Catalog Number: E3-M Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.
	<p>Name: E17 Catalog Number: E17 Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.
	<p>Name: L-017 / L-017-CR, L-017-B / L-017-B-CR, L-017-C / L-017-C-CR Catalog Number: L-017 / L-017-CR, L-017-B / L-017-B-CR, L-017-C / L-017-C-CR Manufacturer: Beachside Lighting Required Options: Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2018-029</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.
	<p>Name: X-Light ONE SS TF Catalog Number: X-Light ONE SS TF Manufacturer: Garden Light LED Required Options: Amber LED Link: Garden Light LED Wildlife Lighting Certification Number: 2018-063</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.

	<p>Name: X-Light TF Catalog Number: X-Light TF Manufacturer: Garden Light LED Required Options: Amber LED Link: Garden Light LED Wildlife Lighting Certification Number: 2018-063</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.
	<p>Name: TFX-BR Catalog Number: TFX-BR Manufacturer: Garden Light LED Required Options: Amber LED Link: Garden Light LED Wildlife Lighting Certification Number: 2018-063</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.
	<p>Name: TFXSS Catalog Number: TFXSS Manufacturer: Garden Light LED Required Options: Amber LED Link: Garden Light LED Wildlife Lighting Certification Number: 2018-063</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.
	<p>Name: Salty Dog Turret Top Catalog Number: BDL-VWL-703-T-BBZ-TS Manufacturer: VOLT Lighting Required Options: Amber LED Link: VOLT Lighting Wildlife Lighting Certification Number: 2019-201</p> <ul style="list-style-type: none"> ▪ Must be mounted in-ground.
	<p>Name: HydraPro Turret Top Catalog Number: AWL-703-25T-B-BZ-TS Manufacturer: AMP Lighting Required Options: Amber LED Link: AMP Lighting Wildlife Lighting Certification Number: 2019-228</p> <p>Must be mounted in-ground.</p>



Name: 1W Amber LED Paver

Catalog Number: OWLRS-UG1W316X-N

Manufacturer: Ocean Wave Lighting

Required Options: Amber LED

Link: [Ocean Wave Lighting](#)

Wildlife Lighting Certification Number: 2019-252

Must be mounted in-ground.