

The **required options** and **bulleted caveats** for each fixture listed below **must be followed**. Please note, even though the fixtures listed are certified, they may not be appropriate on all properties or locations on a property.

The items listed below are intended to act as a resource to assist in identifying products that have been certified through the Wildlife Lighting Program. To purchase these products, please contact the manufacturers or distributors of these products.

Be sure to return to this document often, as new information is added regularly.

	<p>Name: Amber LED Street Light Light Source: Must be lamped with the approved integrated Amber LED (Cree XPE) & Beachside Shield Manufacturer: Synergy Link: Synergy Wildlife Lighting Certification Number: 2018-024</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: AmberLED Mini Bentley Kitty Hawk Area and Wall Light Catalog Number: KH15QF1X37UAMCZKASPBF Manufacturer: QSSI Multi-Listing: Lamar Lighting, Access Fixtures, DuraGuard Products Inc., Eco-Revolution LLC, Southern Lighting Company, Envoy Lighting, Pro-lite, LEDalux, N2M, LLC, Lumencia, Rayon Lighting, Intrigue Lighting, Envirolux, Vivid LEDs, Inc., Pemco Lighting, Atlantic Industrial Required Options: Amber LED Link: QSSI Wildlife Lighting Certification Number: 2018-001</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: AmberLED Small Bentley Kitty Hawk Area and Wall Light

Catalog Number: KH25QF1X81UAMCZKASPBF

Manufacturer: QSSI

Multi-Listing: [Lamar Lighting](#), [Access Fixtures](#), [DuraGuard Products Inc.](#), [Eco-Revolution LLC](#), [Southern Lighting Company](#), [Envoy Lighting](#), [Pro-lite](#), [LEDalux](#), [N2M, LLC](#), [Lumencia](#), [Rayon Lighting](#), [Intrigue Lighting](#), [Envirolux](#), [Vivid LEDs, Inc.](#), [Pemco Lighting](#), [Atlantic Industrial](#)

Required Options: Amber LED

Link: [QSSI](#)

Wildlife Lighting Certification Number: 2018-001

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: VK 1700 Amber LED Series

Catalog Number: VK 1700 Amber LED Series

Manufacturer: Alumilite

Required Options: Amber LED

Link: [Alumilite](#)

Wildlife Lighting Certification Number: 2018-34

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: Urban LED

Catalog Number: CRZ 60E-80 AMB T2 180 UNV PEC SF2 BBT

Manufacturer: Beacon Products

Light Source: Must be lamped with a wildlife certified bulb

Link: [Beacon Products](#)

Wildlife Lighting Certification Number: 2018-038

- Landward side of structure only.
- Maximum mounting height of 12 feet.

	<ul style="list-style-type: none"> ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: Cruzler LED Catalog Number: CRZ 60E-80 AMB T2 180 UNV PEC SF2 BBT Manufacturer: Beacon Products Light Source: Must be lamped with a wildlife certified bulb Link: Beacon Products Wildlife Lighting Certification Number: 2018-038</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: Viper Large LED Catalog Number: VP-L 64E-115 AMB T5R 180 UNV PCR-TL RA BBT Manufacturer: Beacon Products Light Source: Must be lamped with a wildlife certified bulb Link: Beacon Products Wildlife Lighting Certification Number: 2018-037</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: Viper Small LED Catalog Number: VP-S 24E-45 AMB T5R 180 UNV PCR-TL RA BBT Manufacturer: Beacon Products Light Source: Must be lamped with a wildlife certified bulb Link: Beacon Products Wildlife Lighting Certification Number: 2018-037</p> <ul style="list-style-type: none"> ▪ Landward side of structure only.

	<ul style="list-style-type: none"> ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: Loggerhead Catalog Number: LH-001 Manufacturer: LED Light US Light Source: Must be lamped with a wildlife certified bulb Link: LED Light US Wildlife Lighting Certification Number: 2018-037</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: GreenCobra Jr. LED Street Light Catalog Number: GCJ2 20H MV TR 2R GY 850 Manufacturer: Leotek Lite-On Group Required Options: Amber LED Link: Leotek Lite-On Group Wildlife Lighting Certification Number: 2018-044</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: D-Series Size 0 Catalog Number: DSX0 LED-40C-530-AMBLW-EGS (external glare shield) Manufacturer: Lithonia Lighting Required Options: Amber LED Link: Lithonia Lighting Wildlife Lighting Certification Number: 2018-047</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet.

	<ul style="list-style-type: none"> ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: D-Series Size 1 Catalog Number: DSX1 LED-60C-530-AMBLW-EGS (external glare shield) Manufacturer: Lithonia Lighting Required Options: Amber LED Link: Lithonia Lighting Wildlife Lighting Certification Number: 2018-047</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: D-Series Size 2 Catalog Number: DSX2 LED-AMBLW-EGS (external glare shield) Manufacturer: Lithonia Lighting Required Options: Amber LED Link: Lithonia Lighting Wildlife Lighting Certification Number: 2018-047</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: EcoForm Gen-2 Catalog Number: ECF-S Manufacturer: Philips Lighting Required Options: Amber LED Link: Philips Lighting Wildlife Lighting Certification Number: 2018-050</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet.

	<ul style="list-style-type: none"> ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: PureForm LED Area Medium P26 Catalog Number: P26 Manufacturer: Philips Lighting Required Options: Amber LED Link: Philips Lighting Wildlife Lighting Certification Number: 2018-050</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: The Domia Catalog Number: CY55P1-GAL-2/3/4-80W-AMBER-VOLT-DIM-RALXXXTX Manufacturer: Cyclone Lighting Required Options: Amber LED Link: Cyclone Lighting Wildlife Lighting Certification Number: 2018-046</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: Old Florida Majesta Catalog Number: CO12P1-DP3AR-GAL-2/3/4-80W-AMBER-VOLT-DIM-CP4382-RALXXXTX Manufacturer: Cyclone Lighting Required Options: Amber LED Link: Cyclone Lighting Wildlife Lighting Certification Number: 2018-046</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet.

	<ul style="list-style-type: none"> ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: Park Avenue Catalog Number: CY21S2-GAL-2/3/4-80W0AMBER-VOLT-DIM-RALXXXTX Manufacturer: Cyclone Lighting Required Options: Amber LED Link: Cyclone Lighting Wildlife Lighting Certification Number: 2018-046</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: The Compania Catalog Number: CN55P1-GAL-2/3/4-80W0AMBER-VOLT-GCN11-DIM-RALXXXTX Manufacturer: Cyclone Lighting Required Options: Amber LED Link: Cyclone Lighting Wildlife Lighting Certification Number: 2018-046</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.
	<p>Name: The Denver Catalog Number: CD20S2-GAL-2/3/4-80W-AMBER-VOLT-DIM-RALXXXTX Manufacturer: Cyclone Lighting Required Options: Amber LED Link: Cyclone Lighting Wildlife Lighting Certification Number: 2018-046</p> <ul style="list-style-type: none"> ▪ Landward side of structure only. ▪ Maximum mounting height of 12 feet. ▪ Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: The Celeste
Catalog Number: CR17S2-GAL-2/3/4-80W-AMBER-VOLT-DIM-RALXXXXTX
Manufacturer: Cyclone Lighting
Required Options: Amber LED
Link: [Cyclone Lighting](#)
Wildlife Lighting Certification Number: 2018-046

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: The New Era
Catalog Number: NEL3001-GAL-2/3/4-80W-AMBER-VOLT-DIM-RALXXXXTX
Manufacturer: Cyclone Lighting
Required Options: Amber LED
Link: [Cyclone Lighting](#)
Wildlife Lighting Certification Number: 2018-046

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.




Name: Viento Large Area & Site LED Luminaire
Catalog Number: VNT-LED-L-03-A-20-X-X-WS
Manufacturer: XtraLight
Required Options: Amber LED. Must be installed with dropdown shielding
Link: [XtraLight](#)
Wildlife Lighting Certification Number: 2019-115

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: Viento Medium Area & Site LED Luminaire
Catalog Number: VNT-LED-M-02-A-20-X-X-WS
Manufacturer: XtraLight
Required Options: Amber LED. Must be installed with dropdown shielding
Link: [XtraLight](#)
Wildlife Lighting Certification Number: 2019-116

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.




Name: Viento Small Area & Site LED Luminaire
Catalog Number: VNT-LED-S-01-A-20-X-X-WS
Manufacturer: XtraLight
Required Options: Amber LED. Must be installed with dropdown shielding
Link: [XtraLight](#)
Wildlife Lighting Certification Number: 2019-117

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: ALS1 Amber Series
Catalog Number: ALS1-XX-XXX-AMKX-XX-XX-HSS
Manufacturer: eLuminaire
Required Options: Amber LED. Must be installed with dropdown shielding
Link: [eLuminaire](#)
Wildlife Lighting Certification Number: 2019-174

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Horizontal Tenon



Name: SBK Series LED Area Light
Catalog Number: SBK-24-xxx-AM-xxx-xx-TS-xx

Manufacturer: Luminoso LED Lighting

Required Options: Amber LED. Must be installed with dropdown shielding

Link: [Luminoso LED Lighting](#)

Wildlife Lighting Certification Number: 2019-235

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: Amber LED Parking Lot Light
Catalog Number: STL-SIGMA-xxx-xxx-xxx-AMB

Manufacturer: Synergy Lighting, Inc

Required Options: Amber LED. Must be installed with dropdown shielding

Link: [Synergy Lighting, Inc](#)

Wildlife Lighting Certification Number: 2019-248

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: BSX-II Turtle Safe Pole Mount
Catalog Number: BSX-II-x-xx-xxxx-x-TS-xxx-BOA-xx-LS

Manufacturer: Visionaire Lighting LLC

Required Options: Amber LED. Must be installed with dropdown shielding

Link: [Visionaire Lighting LLC](#)

Wildlife Lighting Certification Number: 2019-255

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: VMX Turtle Safe Pole Mount
Catalog Number: VMX-1-xxxx-xxxx-x-TS-xxx-AM-xx-LS
Manufacturer: Visionaire Lighting LLC
Required Options: Amber LED. Must be installed with dropdown shielding
Link: [Visionaire Lighting LLC](#)
Wildlife Lighting Certification Number: 2019-256

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: 6th Generation LED Shoebox Series Light
Catalog Number: OWLSB100LB5
Manufacturer: Ocean Wave Lighting
Required Options: Amber LED. Must be installed with dropdown shielding
Link: [Ocean Wave Lighting](#)
Wildlife Lighting Certification Number: 2019-266

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: Glaswerks Bern Flat LED 2
Catalog Number: GBLF2-P10-AM-xx-x-x-xx
Manufacturer: Acuity Brands Lighting, Inc.
Required Options: Amber LED. Must be installed with dropdown shielding
Link: [Acuity Brands Lighting, Inc.](#)
Wildlife Lighting Certification Number: 2019-273

- Landward side of structure only.
- Maximum mounting height of 12 feet.
- Beach side shields and/or louvers for any fixture within line of sight of the beach.



Name: VSX Turtle Safe Pole Mount
Catalog Number: VSX-1-xxx-xxxx-x-TS-xxx-AM-xx-LS

Manufacturer: Visionaire Lighting LLC

Required Options: Amber LED. Must be installed with dropdown shielding

Link: [Visionaire Lighting LLC](#)

Wildlife Lighting Certification Number: 2019-275

- Landward side of structure only.
- Maximum mounting height of 12 feet.

Beach side shields and/or louvers for any fixture within line of sight of the beach.