

The **required options** and **bulleted caveats** for each fixture listed below **must be followed**. Please note, even though the fixtures listed are certified, they may not be appropriate on all properties or locations on a property.

The items listed below are intended to act as a resource to assist in identifying products that have been certified through the Wildlife Lighting Program. To purchase these products, please contact the manufacturers or distributors of these products.


Be sure to return to this document often, as new information is added regularly.

	<p><b>Name:</b> SL-02-TF Series  <b>Catalog Number:</b> SL-02-TF  <b>Manufacturer:</b> Focus Industries  <b>Link:</b> <a href="#">Focus Industries</a>  <b>Wildlife Lighting Certification Number:</b> 2018-043</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Amber LED Step Light Accent Series  <b>Catalog Number:</b> STPLAM  <b>Manufacturer:</b> Contech Lighting  <b>Link:</b> <a href="#">Contech Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2018-026</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Amber LED Brick Step Series  <b>Catalog Number:</b> STPBAM  <b>Manufacturer:</b> Contech Lighting  <b>Link:</b> <a href="#">Contech Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2018-026</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> </ul>

	<ul style="list-style-type: none"> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Starlite Collection Amber Low Voltage Landscape Step Lights  <b>Catalog Number:</b> BST105BZ-A; BST106BZ-A; BST109BZ-A  <b>Manufacture:</b> Lite the Nite  <b>Link:</b> <a href="#">Lite the Nite</a>  <b>Wildlife Lighting Certification Number:</b> 2018-027</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Passo SQ  <b>Catalog Number:</b> PRCL12-A  <b>Manufacturer:</b> Amerlux  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">Amerlux</a>  <b>Wildlife Lighting Certification Number:</b> 2018-028</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Passo RT  <b>Catalog Number:</b> PRCL12-A  <b>Manufacturer:</b> Amerlux  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">Amerlux</a>  <b>Wildlife Lighting Certification Number:</b> 2018-004</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> </ul>

	<ul style="list-style-type: none"> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Passo CR  <b>Catalog Number:</b> PCCL4-A  <b>Manufacturer:</b> Amerlux  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">Amerlux</a>  <b>Wildlife Lighting Certification Number:</b> 2018-003</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Passo RT  <b>Catalog Number:</b> PRCL8-A  <b>Manufacturer:</b> Amerlux  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">Amerlux</a>  <b>Wildlife Lighting Certification Number:</b> 2018-002</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Exterior Die-cast Brick Light for Masonry Applications with Die-Case Horizontal Louvered Faceplate  <b>Catalog Number:</b> FCSL105A  <b>Manufacturer:</b> FC Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">FC Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2018-049</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> </ul>

	<ul style="list-style-type: none"> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> Forever Bright  <b>Catalog Number:</b> SPJ17-02-TF  <b>Manufacturer:</b> SPJ Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">SPJ Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2018-055</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>
	<p><b>Name:</b> E3-RL  <b>Catalog Number:</b> E3-RL  <b>Manufacturer:</b> Beachside Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">Beachside Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2018-029</p> <ul style="list-style-type: none"> <li>▪ Light must be downward directed.</li> <li>▪ Maximum mounting height of 24 inches for the ground floor only.</li> <li>▪ Maximum mounting height of 12 inches for any floor above the ground floor.</li> </ul>



**Name:** E3-SQL

**Catalog Number:** E3-SQL

**Manufacturer:** Beachside Lighting

**Required Options:** Amber LED

**Link:** [Beachside Lighting](#)

**Wildlife Lighting Certification Number:**  
2018-029

- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.
- Maximum mounting height of 12 inches for any floor above the ground floor.



**Name:** E9-RCL / E9-RCL-CR

**Catalog Number:** E9-RCL / E9-RCL-CR

**Manufacturer:** Beachside Lighting

**Required Options:** Amber LED

**Link:** [Beachside Lighting](#)

**Wildlife Lighting Certification Number:**  
2018-029

- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.
- Maximum mounting height of 12 inches for any floor above the ground floor.



**Name:** E9-RL / E9-RL-CR

**Catalog Number:** E9-RL / E9-RL-CR

**Manufacturer:** Beachside Lighting

**Required Options:** Amber LED

**Link:** [Beachside Lighting](#)

**Wildlife Lighting Certification Number:**  
2018-029

- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.
- Maximum mounting height of 12 inches for any floor above the ground floor.



**Name:** E9-SQL / E9-SQL-CR  
**Catalog Number:** E9-SQL / E9-SQL-CR  
**Manufacturer:** Beachside Lighting  
**Required Options:** Amber LED  
**Link:** [Beachside Lighting](#)  
**Wildlife Lighting Certification Number:**  
2018-029

- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.
- Maximum mounting height of 12 inches for any floor above the ground floor.



**Name:** L-012  
**Catalog Number:** L-012  
**Manufacturer:** Beachside Lighting  
**Required Options:** Amber LED  
**Link:** [Beachside Lighting](#)  
**Wildlife Lighting Certification Number:**  
2018-029

- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.
- Maximum mounting height of 12 inches for any floor above the ground floor.



**Name:** L-018  
**Catalog Number:** L-018  
**Manufacturer:** Beachside Lighting  
**Required Options:** Amber LED  
**Link:** [Beachside Lighting](#)  
**Wildlife Lighting Certification Number:**  
2018-029

- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.
- Maximum mounting height of 12 inches for any floor above the ground floor.



**Name:** STL-A  
**Catalog Number:** STL-A  
**Manufacturer:** Beachside Lighting  
**Required Options:** Amber LED  
**Link:** [Beachside Lighting](#)  
**Wildlife Lighting Certification Number:** 2018-029

- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.
- Maximum mounting height of 12 inches for any floor above the ground floor.



**Name:** Deck Light SSA TF  
**Catalog Number:** Deck Light SSA TF  
**Manufacturer:** Garden Light LED  
**Required Options:** Amber LED  
**Link:** [Garden Light LED](#)  
**Wildlife Lighting Certification Number:** 2018-063


- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.
- Maximum mounting height of 12 inches for any floor above the ground floor



**Name:** LED Horizontal Architectural Steplight  
**Catalog Number:** TF-1210-2-10WLED-A-120-SG  
**Manufacturer:** ELCAST Lighting  
**Required Options:** Amber LED  
**Link:** [ELCAST Lighting](#)  
**Wildlife Lighting Certification Number:** 2019-005

- Light must be downward directed.
- Maximum mounting height of 24 inches for the ground floor only.

	<ul style="list-style-type: none"> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> SPJ17-02-TF  <b>Catalog Number:</b> SPJ17-02-TF  <b>Manufacturer:</b> SPJ Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">SPJ Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2019-160</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> SPJ17-04-TF  <b>Catalog Number:</b> SPJ17-04-TF  <b>Manufacturer:</b> SPJ Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">SPJ Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2019-161</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> SPJ-GDG-30W-SQ-SH-TF  <b>Catalog Number:</b> SPJ-GDG-30W-SQ-SH-TF  <b>Manufacturer:</b> SPJ Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">SPJ Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2019-162</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> </ul>

	<ul style="list-style-type: none"> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> Saga Recessed Amber LED Steplight  <b>Catalog Number:</b> SGH-LED-SG-R-1LED-AML  <b>Manufacturer:</b> Intrigue Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">Intrigue Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2019-172</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> GDG-3EB-TF  <b>Catalog Number:</b> GDG-3EB-TF  <b>Manufacturer:</b> SPJ Lighting, Inc  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">SPJ Lighting, Inc</a>  <b>Wildlife Lighting Certification Number:</b> 2019-158</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> FB-275-3-TF  <b>Catalog Number:</b> FB-275-3-TF  <b>Manufacturer:</b> SPJ Lighting, Inc  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">SPJ Lighting, Inc</a>  <b>Wildlife Lighting Certification Number:</b> 2019-168</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> </ul>

	<ul style="list-style-type: none"> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> Deck Light  <b>Catalog Number:</b> VDL-600-BBZ-TS  <b>Manufacturer:</b> VOLT Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">VOLT Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2019-190</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> Deck-Design Pro Rounded  <b>Catalog Number:</b> ADL-6004-TS  <b>Manufacturer:</b> AMP Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">AMP Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2019-215</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> <li>Maximum mounting height of 12 inches for any floor above the ground floor</li> </ul>
	<p><b>Name:</b> Deck-Design Pro Squared  <b>Catalog Number:</b> ADL-6006-TS  <b>Manufacturer:</b> AMP Lighting  <b>Required Options:</b> Amber LED  <b>Link:</b> <a href="#">AMP Lighting</a>  <b>Wildlife Lighting Certification Number:</b> 2019-216</p> <ul style="list-style-type: none"> <li>Light must be downward directed.</li> <li>Maximum mounting height of 24 inches for the ground floor only.</li> </ul>

	<ul style="list-style-type: none"><li>▪ Maximum mounting height of 12 inches for any floor above the ground floor</li></ul>
	<p><b>Name:</b> Deck-Design Pro Classic <b>Catalog Number:</b> ADL-2010-TS <b>Manufacturer:</b> AMP Lighting <b>Required Options:</b> Amber LED <b>Link:</b> <a href="#">AMP Lighting</a> <b>Wildlife Lighting Certification Number:</b> 2019-217</p> <ul style="list-style-type: none"><li>▪ Light must be downward directed.</li><li>▪ Maximum mounting height of 24 inches for the ground floor only.</li><li>▪ Maximum mounting height of 12 inches for any floor above the ground floor</li></ul>