

The **required options** and **bulleted caveats** for each fixture listed below **must be followed**. Please note, even though the fixtures listed are certified, they may not be appropriate on all properties or locations on a property.

The items listed below are intended to act as a resource to assist in identifying products that have been certified through the Wildlife Lighting Program. To purchase these products, please contact the manufacturers or distributors of these products.

Be sure to return to this document often, as new information is added regularly.

 <p>The image shows a copper-colored directional light fixture. It consists of a circular mounting plate and a conical light shield. A diagram to the left of the fixture indicates a beam spread of 2.125° and a diameter of 56mm. The model number RXD-02-COP is printed below the fixture.</p>	<p>Name: RXD-02 Directional Lights Catalog Number: RXD-02 Manufacturer: Focus Industries Required Options: Amber LED Link: Focus Industries Wildlife Lighting Certification Number: 2018-043</p> <ul style="list-style-type: none">▪ Light must be downward directed and locked in a fixed position.▪ Maximum mounting height of 8 feet from the floor.▪ Not recommended for use above the first habitable floor.▪ Not recommended for use on the beach side of a structure.▪ Additional shielding may be necessary if visible from the beach.
 <p>The image shows a black, rectangular, downward-facing light fixture. The light is illuminated, showing a warm amber glow. The fixture has a textured, slightly curved top surface.</p>	<p>Name: Alameda-Amber Catalog Number: AM-9-WT-LED25-AMB-UNVB Manufacturer: CGF Design Required Options: Amber LED Link: CGF Design Wildlife Lighting Certification Number: 2018-025</p> <ul style="list-style-type: none">▪ Light must be downward directed.▪ Maximum mounting height of 8 feet from the floor.

	<ul style="list-style-type: none"> ▪ Not recommended for use above the first habitable floor. ▪ Not recommended for use on the beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: AmberLED Constellation Medium Full Cutoff Wall Pack Catalog Number: WPC15QF1X37UAMCZSPBF Manufacturer: QSSI Multi-Listing: Lamar Lighting, Access Fixtures, DuraGuard Products Inc., Eco-Revolution LLC, Southern Lighting Company, Envoy Lighting, Pro-lite, LEDalux, N2M, LLC, Lumencia, Rayon Lighting, Intrigue Lighting, EnviroLux, Vivid LEDs, Inc., Pemco Lighting, Atlantic Industrial Required Options: Amber LED Link: QSSI Wildlife Lighting Certification Number: 2018-001</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor. ▪ Not recommended for use on the beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.



Name: AmberLED Constellation Small Full Cutoff Wall Pack

Catalog Number: WPC12QF1X22UAMCZSPBF

Manufacturer: [QSSI](#)

Multi-Listing: [Lamar Lighting](#), [Access Fixtures](#), [DuraGuard Products Inc.](#), [Eco-Revolution LLC](#), [Southern Lighting Company](#), [Envoy Lighting](#), [Pro-lite](#), [LEDalux](#), [N2M, LLC](#), [Lumencia](#), [Rayon Lighting](#), [Intrigue Lighting](#), [Envirolux](#), [Vivid LEDs, Inc.](#), [Pemco Lighting](#), [Atlantic Industrial](#)

Required Options: Amber LED

Link: [QSSI](#)

Wildlife Lighting Certification Number: 2018-001

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: AmberLED Up or Down Turbine LED Wall Cylinder

Catalog Number: WCTRSAC31X20UAMKZSPVS

Manufacturer: [QSSI](#)

Multi-Listing: [Lamar Lighting](#), [Access Fixtures](#), [DuraGuard Products Inc.](#), [Eco-Revolution LLC](#), [Southern Lighting Company](#), [Envoy Lighting](#), [Pro-lite](#), [LEDalux](#), [N2M, LLC](#), [Lumencia](#), [Rayon Lighting](#), [Intrigue Lighting](#), [Envirolux](#), [Vivid LEDs, Inc.](#), [Pemco Lighting](#), [Atlantic Industrial](#)

Required Options: Amber LED

Link: [QSSI](#)

Wildlife Lighting Certification Number: 2018-001

	<ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach
	<p>Name: AmberLED LEDicated Vaporproof-Angled Shade</p> <p>Catalog Number: VW53QF1X23UAMP SFAS</p> <p>Manufacturer: QSSI</p> <p>Multi-Listing: Lamar Lighting, Access Fixtures, DuraGuard Products Inc., Eco-Revolution LLC, Southern Lighting Company, Envoy Lighting, Pro-lite, LEDalux, N2M, LLC, Lumencia, Rayon Lighting, Intrigue Lighting, EnviroLux, Vivid LEDs, Inc., Pemco Lighting, Atlantic Industrial</p> <p>Required Options: Amber LED</p> <p>Link: QSSI</p> <p>Wildlife Lighting Certification Number: 2018-001</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor. ▪ Not recommended for use on the beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.



Name: AmberLED Small LED Traverse Wall Accent Light

Catalog

Number:TV2C32X20UAMZSPBF

Manufacturer: [QSSI](#)

Multi-Listing: [Lamar Lighting](#), [Access Fixtures](#), [DuraGuard Products Inc.](#), [Eco-Revolution LLC](#), [Southern Lighting Company](#), [Envoy Lighting](#), [Pro-lite](#), [LEDalux](#), [N2M, LLC](#), [Lumencia](#), [Rayon Lighting](#), [Intrigue Lighting](#), [Envirolux](#), [Vivid LEDs, Inc.](#), [Pemco Lighting](#), [Atlantic Industrial](#)

Required Options: Amber LED

Link: [QSSI](#)

Wildlife Lighting Certification

Number: 2018-001

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: AmberLED Small Bentley Kitty Hawk Area and Wall Light

Catalog Number:

KH25QF1X81UAMCZKASPF

Manufacturer: [QSSI](#)

Multi-Listing: [Lamar Lighting](#), [Access Fixtures](#), [DuraGuard Products Inc.](#), [Eco-Revolution LLC](#), [Southern Lighting Company](#), [Envoy Lighting](#), [Pro-lite](#), [LEDalux](#), [N2M, LLC](#), [Lumencia](#), [Rayon Lighting](#), [Intrigue Lighting](#), [Envirolux](#), [Vivid LEDs, Inc.](#), [Pemco Lighting](#), [Atlantic Industrial](#)

Required Options: Amber LED

Link: [QSSI](#)

	<p>Wildlife Lighting Certification Number: 2018-001</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor. ▪ Not recommended for use on the beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: AmberLED Mini Bentley Kitty Hawk Area and Wall Light Catalog Number: KH15QF1X37UAMCZKASPBF Manufacturer: QSSI Multi-Listing: Lamar Lighting, Access Fixtures, DuraGuard Products Inc., Eco-Revolution LLC, Southern Lighting Company, Envoy Lighting, Pro-lite, LEDalux, N2M, LLC, Lumencia, Rayon Lighting, Intrigue Lighting, Envirolux, Vivid LEDs, Inc., Pemco Lighting, Atlantic Industrial Required Options: Amber LED Link: QSSI Wildlife Lighting Certification Number: 2018-001</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor. ▪ Not recommended for use on the beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.



Name: Trapezoid 1-Directional Wall Mount

Catalog Number: WD1472-8"X 4"
Trapezoid- Directional Wall Mount (IP65) Amber

Manufacturer: Liton Lighting

Required Options: Amber LED

Link: [Liton Lighting](#)

Wildlife Lighting Certification Number: 2018-007

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Scoop 1-Directional Wall Mount

Catalog Number: WD1472-8"X 4"
Scoop 1-Directional Wall Mount (IP65) Amber

Manufacturer: Liton Lighting

Required Options: Amber LED

Link: [Liton Lighting](#)

Wildlife Lighting Certification Number: 2018-007

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Amber Full Cutoff Wall Pack 120W

Catalog Number: WPCM-120WLED-amber

Manufacturer: ILP Lighting

Required Options: Amber LED

Link: [ILP Lighting](#)

Wildlife Lighting Certification

Number: 2018-033

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Amber Full Cutoff Wall Pack 60W

Catalog Number: WPCS-60WLED-amber

Manufacturer: ILP Lighting

Required Options: Amber LED

Link: [ILP Lighting](#)

Wildlife Lighting Certification

Number: 2018-032

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Amber Area Light
Catalog Number: AL-120W LED-amber
Manufacturer: ILP Lighting
Required Options: Amber LED
Link: [ILP Lighting](#)
Wildlife Lighting Certification Number: 2018-031

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if directly visible from the beach.



Name: YRW 600 Amber LED Series
Catalog Number: YRW 600 Amber LED Series
Manufacturer: Alumilite
Required Options: Amber LED
Link: [Alumilite](#)
Wildlife Lighting Certification Number: 2018-034

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Traverse LED
Catalog Number: TRV-D 60E-80 AMB
T2 180 UNV PEC BBT
Manufacturer: Beacon Lighting
Light Source: Must be lamped with a
wildlife certified bulb
Link: [Beacon Lighting](#)
**Wildlife Lighting Certification
Number:** 2018-038

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Loggerhead
Catalog Number: LH-001
Manufacturer: LED Light US
Light Source: Must be lamped with a
wildlife certified bulb
Link: [LED Light US](#)
**Wildlife Lighting Certification
Number:** 2018-037

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: SV300 Amber LED Series
Catalog Number: SV300-ALED
Manufacturer: Alumilite
Light Source: Must be lamped with a wildlife certified bulb
Link: [Alumilite](#)
Wildlife Lighting Certification Number: 2018-034

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Tessera Downlight
Catalog Number: Tessera 3100CLED
Manufacturer: Rebelle Architectural Lighting
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Rebelle Architectural Lighting](#)
Wildlife Lighting Certification Number: 2018-040

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 6" Round 1-Direction Wall Mount

Catalog Number: WD1360W

Manufacturer: Liton Lighting

Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb

Link: [Liton Lighting](#)

Wildlife Lighting Certification

Number: 2019-181

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 6" Square 1-Direction Wall Mount

Catalog Number: WD1Q360W

Manufacturer: Liton Lighting

Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb

Link: [Liton Lighting](#)

Wildlife Lighting Certification

Number: 2019-182

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.

	<ul style="list-style-type: none"> ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Turtle Light 2 Catalog Number: Turtle Light 2 Manufacturer: Lucky Street Lanterns, LLC Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: Lucky Street Lanterns, LLC Wildlife Lighting Certification Number: 2017-021</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Turtle Light 1 Catalog Number: Turtle Light 1 Manufacturer: Lucky Street Lanterns, LLC Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: Lucky Street Lanterns, LLC Wildlife Lighting Certification Number: 2017-022</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor

	<p>when located on the shore perpendicular or beach side of a structure.</p> <ul style="list-style-type: none"> ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Beachside Lighting Wall Mounted Fixed Downlight Catalog Number: L-014-S Manufacturer: Beachside Lighting Light Source: Must be lamped with the approved integrated Amber LED Link: Beachside Lighting Wildlife Lighting Certification Number: 2017-011</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Adams Street Collection Catalog Number: AS-(41-44)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed.

	<ul style="list-style-type: none"> ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
--	--

	<p>Name: Bad Lands Collection Catalog Number: BL-(18,22)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
--	---

	<p>Name: Bayou Street Collection Catalog Number: BS-(61-64)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p>
---	---

	<ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Belmont Collection Catalog Number: BM-(30,35,40)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.



Name: Churchill Collection
Catalog Number: CH-(30,36,38)-E-TLA
Manufacturer: The CopperSmith Gas and Electric Copper Lanterns
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [The CopperSmith Gas and Electric Copper Lanterns](#)
Wildlife Lighting Certification Number: 2017-008

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Conception Street Collection
Catalog Number: CS-(41-44)-E-TLA
Manufacturer: The CopperSmith Gas and Electric Copper Lanterns
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [The CopperSmith Gas and Electric Copper Lanterns](#)
Wildlife Lighting Certification Number: 2017-008

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.

	<ul style="list-style-type: none"> ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Contempo Collection Catalog Number: CO-(18,24,31)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Creole Collection Catalog Number: CR-(22,24,27,33)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor.

	<ul style="list-style-type: none"> ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
--	---

	<p>Name: Eslava Street Collection Catalog Number: ES-(61-64)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
--	---

	<p>Name: Franklin Street Collection Catalog Number: FS-(41-44)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p>
---	--

	<ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Georgetown Collection Catalog Number: GT-(15,18,20,22,27)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.



Name: Joachim Street Collection
Catalog Number: JS-(61-64)-E-TLA
Manufacturer: The CopperSmith Gas and Electric Copper Lanterns
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [The CopperSmith Gas and Electric Copper Lanterns](#)
Wildlife Lighting Certification Number: 2017-008

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Luna Collection
Catalog Number: LU-(18,22)-E-TLA
Manufacturer: The CopperSmith Gas and Electric Copper Lanterns
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [The CopperSmith Gas and Electric Copper Lanterns](#)
Wildlife Lighting Certification Number: 2017-008

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.

	<ul style="list-style-type: none"> ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Market Street Collection Catalog Number: MS-(16,19,21)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Mount Vernon Collection Catalog Number: MV-(19,25,30)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor.

	<ul style="list-style-type: none"> ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
--	---

 <p>A tall, copper-colored lantern with a glass enclosure. It features a decorative top cap and a central burner assembly. The frame is made of metal with visible hinges and adjustment points.</p>	<p>Name: Oakley Collection Catalog Number: OA-(20,25,33)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
--	---

 <p>A copper-colored lantern with a glass enclosure, similar in design to the Oakley Collection but with a slightly different top cap. It has a central burner and a metal frame with adjustment points.</p>	<p>Name: Palmetto Street Collection Catalog Number: PS-(42,43,29)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p>
---	---

	<ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Pebble Hill Collection Catalog Number: PH-(20,22,29)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.



Name: Royal Street Collection
Catalog Number: RS-(61-63)-E-TLA
Manufacturer: The CopperSmith Gas and Electric Copper Lanterns
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [The CopperSmith Gas and Electric Copper Lanterns](#)
Wildlife Lighting Certification Number: 2017-008

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Somerset Collection
Catalog Number: SO-(20,22,26,32)-E-TLA
Manufacturer: The CopperSmith Gas and Electric Copper Lanterns
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [The CopperSmith Gas and Electric Copper Lanterns](#)
Wildlife Lighting Certification Number: 2017-008

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore

	<p>perpendicular or beach side of a structure.</p> <ul style="list-style-type: none"> ▪ Additional shielding may be necessary if visible from the beach.
--	---

	<p>Name: State Street Collection Catalog Number: SS-(41-44)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
--	--

	<p>Name: Terra Collection Catalog Number: TE-(20,22)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor.
---	--

	<ul style="list-style-type: none">▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Water Street Collection Catalog Number: WS-(23,28,35)-E-TLA Manufacturer: The CopperSmith Gas and Electric Copper Lanterns Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb Link: The CopperSmith Gas and Electric Copper Lanterns Wildlife Lighting Certification Number: 2017-008</p> <ul style="list-style-type: none">▪ Light must be downward directed.▪ Maximum mounting height of 8 feet from the floor.▪ Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.▪ Additional shielding may be necessary if visible from the beach.



Name: Whitney Collection
Catalog Number: WT-(18,21,24)-E-TLA
Manufacturer: The CopperSmith Gas and Electric Copper Lanterns
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [The CopperSmith Gas and Electric Copper Lanterns](#)
Wildlife Lighting Certification Number: 2017-008

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Windsor Collection
Catalog Number: WD-(23,25)-E-TLA
Manufacturer: The CopperSmith Gas and Electric Copper Lanterns
Light Source: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [The CopperSmith Gas and Electric Copper Lanterns](#)
Wildlife Lighting Certification Number: 2017-008

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.

	<ul style="list-style-type: none"> ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: Die-Cast Aluminum Exterior Architectural Wall Mount Catalog Number: FCW1037A Manufacturer: FC Lighting Required Options: Amber LED Link: FC Lighting Wildlife Lighting Certification Number: 2018-049</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor. ▪ Not recommended for use on the beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.
	<p>Name: 7318 Turtle Catalog Number: 7318 Manufacturer: Brownlee Lighting Required Options: Amber LED Link: Brownlee Lighting Wildlife Lighting Certification Number: 2018-062</p> <ul style="list-style-type: none"> ▪ Light must be downward directed. ▪ Maximum mounting height of 8 feet from the floor. ▪ Not recommended for use above the first habitable floor. ▪ Not recommended for use on the beach side of a structure. ▪ Additional shielding may be necessary if visible from the beach.




Name: E1
Catalog Number: E1
Manufacturer: Beachside Lighting
Light Source: Must be installed with the approved integrated Amber LED
Link: [Beachside Lighting](#)
Wildlife Lighting Certification Number: 2018-029

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: L-014-S
Catalog Number: L-014-S
Manufacturer: Beachside Lighting
Light Source: Must be installed with the approved integrated Amber LED
Link: [Beachside Lighting](#)
Wildlife Lighting Certification Number: 2018-029

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: sQuad-8
Catalog Number: sQuad-8
Manufacturer: Holm
Required Options: Amber LED
Link: [Holm](#)
Wildlife Lighting Certification Number: 2018-053

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: NL Down Light
Catalog Number: NL Down Light
Manufacturer: FX Luminaire
Required Options: Amber LED
Link: [FX Luminaire](#)
Wildlife Lighting Certification Number: 2018-054

- Light must be downward directed.
 - Maximum mounting height of 8 feet from the floor.
 - Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Wall Wash

Name: rEcho-8
Catalog Number: rEcho-8-WW
Manufacturer: FX Luminaire
Required Options: Amber LED
Link: [Holm](#)
Wildlife Lighting Certification Number: 2018-053

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



WW

Name: MO Wall Light
Catalog Number: MO Wall Light
Manufacturer: FX Luminaire
Required Options: Amber LED
Link: [FX Luminaire](#)
Wildlife Lighting Certification Number: 2018-054

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: DL TF
Catalog Number: DLTF-AM-BR
Manufacturer: Garden Light LED
Required Options: Amber LED
Link: [Garden Light LED](#)
Wildlife Lighting Certification Number: 2018-063

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: S33W-WH; S33WL-L9-WH
Catalog Number: S33W-WH; S33WL-L9-WH
Manufacturer: Wave Lighting
Required Options: Amber LED
Link: [Wave Lighting](#)
Wildlife Lighting Certification Number: 2018-061

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: S33WL-SN; S33WL-L9-SN
Catalog Number: S33WL-SN; S33WL-L9-SN
Manufacturer: Wave Lighting
Required Options: Amber LED
Link: [Wave Lighting](#)
Wildlife Lighting Certification Number: 2018-061

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: S33WT-BK; S33WT-L9-BK
Catalog Number: S33WT-BK; S33WT-L9-BK
Manufacturer: Wave Lighting
Required Options: Amber LED
Link: [Wave Lighting](#)
Wildlife Lighting Certification Number: 2018-061

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: LED Commercial Series Vapor Tights

Catalog Number: TF-CVT-WM-6LED-A-120-xx

Manufacturer: ELCAST Lighting

Required Options: Amber LED

Link: [ELCAST Lighting](#)

Wildlife Lighting Certification

Number: 2019-006

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: LED Architectural Down Cylinder

Catalog Number: TF-1800-D-28WLED-A-xx

Manufacturer: ELCAST Lighting

Required Options: Amber LED

Link: [ELCAST Lighting](#)

Wildlife Lighting Certification

Number: 2019-007

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 4" Direct/Indirect Amber LED Wall Mount Cylinder

Catalog Number: LD4-S-D-120V-11W-AMB

Manufacturer: Hubbell Lighting, Inc

Required Options: Amber LED

Link: [Hubbell Lighting, Inc](#)

Wildlife Lighting Certification

Number: 2019-017

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Wall Sconce

Catalog Number: DMP-01

Manufacturer: Industrial Lighting Group

Required Options: Amber LED

Link: [Industrial Lighting Group](#)

Wildlife Lighting Certification

Number: 2019-018

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: FD134-I75
Catalog Number: FD134-I75-xx-LA
Manufacturer: InterGlobal-Inc
Required Options: Amber LED
Link: [InterGlobal-Inc](#)
Wildlife Lighting Certification Number: 2019-021

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: FD135-I75
Catalog Number: FD135-I75-xx-LA
Manufacturer: InterGlobal-Inc
Required Options: Amber LED
Link: [InterGlobal-Inc](#)
Wildlife Lighting Certification Number: 2019-022

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-0910W
Catalog Number: CER-1910W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-025

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-0940W
Catalog Number: CER-0940W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-026

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-0950W
Catalog Number: CER-0950W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-027

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-0970W
Catalog Number: CER-0970W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-028

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-1100W
Catalog Number: CER-1100W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-029

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-1160W
Catalog Number: CER-1160W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-030

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-1170W
Catalog Number: CER-1170W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-031

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-1260W
Catalog Number: CER-1260W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-032

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-1300W
Catalog Number: CER-1300W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-033

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-1355W
Catalog Number: CER-1355W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-034

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-1800W
Catalog Number: CER-1800W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-035

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-1850W
Catalog Number: CER-1850W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-036

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-2050W
Catalog Number: CER-2050W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-037

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-2150W
Catalog Number: CER-2150W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-038

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-2190W
Catalog Number: CER-2190W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-039

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-2900W
Catalog Number: CER-2900W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-040

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-2950W
Catalog Number: CER-2950W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-041

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5200W
Catalog Number: CER-5200W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-042

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5260W
Catalog Number: CER-5260W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-043

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5400W
Catalog Number: CER-5400W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-044

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5500W
Catalog Number: CER-5500W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-045

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5730W
Catalog Number: CER-5730W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-046

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5800W
Catalog Number: CER-5800W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-047

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5850W
Catalog Number: CER-5850W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-048

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5910W
Catalog Number: CER-5910W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-049

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5940W
Catalog Number: CER-5940W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-050

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CER-5950W
Catalog Number: CER-5950W
Manufacturer: Justice Design Group
Required Options: Lamp/Bulb not included. Must be lamped with a wildlife certified bulb
Link: [Justice Design Group](#)
Wildlife Lighting Certification Number: 2019-051

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: S33W Outdoor Wall Fixture
Catalog Number: S33W
Manufacturer: Wave Lighting
Required Options: Amber LED
Link: [Wave Lighting](#)
Wildlife Lighting Certification Number: 2019-108

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: S34W Outdoor Wall Fixture
Catalog Number: S34W
Manufacturer: Wave Lighting
Required Options: Amber LED
Link: [Wave Lighting](#)
Wildlife Lighting Certification Number: 2019-109

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: S35W Outdoor Wall Fixture
Catalog Number: S35W
Manufacturer: Wave Lighting
Required Options: Amber LED
Link: [Wave Lighting](#)
Wildlife Lighting Certification Number: 2019-110

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 550-LED-HK
Catalog Number: 550-LED-HK
Manufacturer: W.F. Harris Lighting, Inc.
Required Options: Amber LED
Link: [W.F. Harris Lighting, Inc.](#)
Wildlife Lighting Certification Number: 2019-111

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 650-LED-HK
Catalog Number: 650-LED-HK
Manufacturer: W.F. Harris Lighting, Inc.
Required Options: Amber LED
Link: [W.F. Harris Lighting, Inc.](#)
Wildlife Lighting Certification Number: 2019-112

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 700-LED-HK
Catalog Number: 700-LED-HK
Manufacturer: W.F. Harris Lighting, Inc.
Required Options: Amber LED
Link: [W.F. Harris Lighting, Inc.](#)
Wildlife Lighting Certification Number: 2019-113

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Viento Wall Pack
Catalog Number: VNTW-xx-A-xxx-xx-xx-WS
Manufacturer: XtraLight
Required Options: Must be installed with dropdown shielding
Light Source: Amber LED
Link: [XtraLight](#)
Wildlife Lighting Certification Number: 2019-118

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if directly visible from the beach.



Name: Small One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Barn Light 1L 8537401-12/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-121

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Small One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Barn Light 1L 8537401-57/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-122

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Medium One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: Barn Light 1L 8637401-12/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-123

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Medium One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: Barn Light 1L 8637401-57/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-124

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Large One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Barn Light 1L 8737401-12/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-125

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Large One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Barn Light 1L 8737401-57/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-126

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Extra Large One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Barn Light 1L 8837401-12/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-127

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Extra Large One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Barn Light 1L 8837401-57/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-128

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Ceramic One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: Ceramic 1L 83046-714/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-129

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Ceramic One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: Ceramic 1L 8304701-714/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-130

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Ceramic One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: Ceramic 1L 8304801-714/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-131

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Small One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: Fredricksburg 1L 8547701-04/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-132

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Small One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Fredricksburg 1L 8547701-44/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-133

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Large One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Fredricksburg 1L 8647701-04/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-134

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Large One Light Outdoor Turtle Friendly Wall Lantern

Catalog Number: Fredricksburg 1L 8647701-44/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-135

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station

Catalog Number: OL8600RSZ/T

Manufacturer: Generation Lighting

Required Options: Amber LED

Link: [Generation Lighting](#)

Wildlife Lighting Certification

Number: 2019-136

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station
Catalog Number: OL8600TRD/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-137

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station
Catalog Number: OL8600TXB/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-138

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station
Catalog Number: OL8601RSZ/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-139

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station
Catalog Number: OL8601TRD/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-140

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station
Catalog Number: OL8601TXB/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-141

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station
Catalog Number: OL9004RSZ/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-142

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station
Catalog Number: OL9004TRD/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-143

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Redding Station
Catalog Number: OL9004TXB/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-144

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: 5" Cylinder 1L 8313801-10/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-145

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: 5" Cylinder 1L 8313801-15/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-146

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: 5" Cylinder 1L 8313801-753/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-147

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: 6" Cylinder 1L 8313901-10/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-148

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: 6" Cylinder 1L 8313901-15/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-149

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: One Light Outdoor Turtle Friendly Wall Lantern
Catalog Number: 6" Cylinder 1L 9313901-753/T
Manufacturer: Generation Lighting
Required Options: Amber LED
Link: [Generation Lighting](#)
Wildlife Lighting Certification Number: 2019-150

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 9" Wall Sconce
Catalog Number: 9WST
Manufacturer: The CopperSmith
Required Options: Amber LED
Link: [The CopperSmith](#)
Wildlife Lighting Certification Number: 2019-151

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 10" Wall Sconce
Catalog Number: 10WST
Manufacturer: The CopperSmith
Required Options: Amber LED
Link: [The CopperSmith](#)
Wildlife Lighting Certification Number: 2019-152

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 13" Wall Sconce
Catalog Number: 13WST
Manufacturer: The CopperSmith
Required Options: Amber LED
Link: [The CopperSmith](#)
Wildlife Lighting Certification Number: 2019-153

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 16" Wall Sconce
Catalog Number: 16WST
Manufacturer: The CopperSmith
Required Options: Amber LED
Link: [The CopperSmith](#)
Wildlife Lighting Certification Number: 2019-154

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Williamsburg 16 Flush Mount
Catalog Number: Williamsburg-16
Manufacturer: Bevolo Gas & Electric Lights
Required Options: Amber LED
Link: [Bevolo Gas & Electric Lights](#)
Wildlife Lighting Certification Number: 2019-155

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: French Quarter 21 Original Bracket Mount
Catalog Number: French Quarter-21
Manufacturer: Bevolo Gas & Electric Lights
Required Options: Amber LED
Link: [Bevolo Gas & Electric Lights](#)
Wildlife Lighting Certification Number: 2019-156

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Governor 24 Flush Mount
Catalog Number: Governor-24
Manufacturer: Bevolo Gas & Electric Lights
Required Options: Amber LED
Link: [Bevolo Gas & Electric Lights](#)
Wildlife Lighting Certification Number: 2019-157

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 2100-6-TF
Catalog Number: 2100-6-TF
Manufacturer: SPJ Lighting, Inc
Required Options: Amber LED
Link: [SPJ Lighting, Inc](#)
Wildlife Lighting Certification Number: 2019-166

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: 2100-8
Catalog Number: 2100-8
Manufacturer: SPJ Lighting, Inc
Required Options: Amber LED
Link: [SPJ Lighting, Inc](#)
Wildlife Lighting Certification Number: 2019-167

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: CHARISMA Full Cutoff Amber LED Wall Mount
Catalog Number: CS-WA-20LED-AML-UNV
Manufacturer: Intrigue Lighting
Required Options: Amber LED
Link: [Intrigue Lighting](#)
Wildlife Lighting Certification Number: 2019-169

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Bronze Poseidon Wall Mount
Catalog Number: TL-20363LEDDL-
BRZ

Manufacturer: Access Lighting

Required Options: Amber LED

Link: [Access Lighting](#)

**Wildlife Lighting Certification
Number:** 2019-177

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Black Poseidon Wall Mount
Catalog Number: TL-20363LEDDL-
BL

Manufacturer: Access Lighting

Required Options: Amber LED

Link: [Access Lighting](#)

**Wildlife Lighting Certification
Number:** 2019-178

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Satin Poseidon Wall Mount
Catalog Number: TL-20363LEDDLPSAT

Manufacturer: Access Lighting



Required Options: Amber LED

Link: [Access Lighting](#)

Wildlife Lighting Certification

Number: 2019-179

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: SBW 30W LED Wall Pack

Catalog Number: SBW-15-30W-AM-xxx-xx-TS-xx

Manufacturer: Luminoso LED Lighting

Required Options: Must be installed with dropdown shielding

Light Source: Amber LED

Link: [Luminoso LED Lighting](#)

Wildlife Lighting Certification

Number: 2019-233

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if directly visible from the beach.



Name: PAK Series LED Wall Pack
Catalog Number: PAK-15-xx-AM-xxx-xx-TS-xx
Manufacturer: Luminoso LED Lighting
Required Options: Must be installed with dropdown shielding
Light Source: Amber LED
Link: [Luminoso LED Lighting](#)
Wildlife Lighting Certification Number: 2019-234

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if directly visible from the beach.



Name: Kaila 3 SB
Catalog Number: W2-KA3SB-07-AM
Manufacturer: Zaniboni Lighting
Light Source: Amber LED
Link: [Zaniboni Lighting](#)
Wildlife Lighting Certification Number: 2019-243

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Lara 3 SB
Catalog Number: W2-LA3SB-07-AM
Manufacturer: Zaniboni Lighting
Light Source: Amber LED
Link: [Zaniboni Lighting](#)
Wildlife Lighting Certification Number: 2019-244

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Lara 3 CSB
Catalog Number: W2-L3CSB-07-AM
Manufacturer: Zaniboni Lighting
Light Source: Amber LED
Link: [Zaniboni Lighting](#)
Wildlife Lighting Certification Number: 2019-245

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: Amber LED Wall Pack
Catalog Number: WTL-40W-xxx-UNV-AMB
Manufacturer: Synergy Lighting, Inc
Required Options: Must be installed with dropdown shielding
Light Source: Amber LED
Link: [Synergy Lighting, Inc](#)
Wildlife Lighting Certification Number: 2019-247

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if directly visible from the beach.



Name: 8W Amber LED Wall Light
Catalog Number: OWL-LD-WA110-8-B20
Manufacturer: Ocean Wave Lighting
Light Source: Amber LED
Link: [Ocean Wave Lighting](#)
Wildlife Lighting Certification Number: 2019-251

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor when located on the shore perpendicular or beach side of a structure.
- Additional shielding may be necessary if visible from the beach.



Name: BSX-II Turtle Safe Wall Pack
Catalog Number: BSX-II-2-xx-32LC-3-TS-xxx-WM-xx-LS
Manufacturer: Visionaire Lighting LLC
Required Options: Must be installed with dropdown shielding
Light Source: Amber LED
Link: [Visionaire Lighting LLC](#)
Wildlife Lighting Certification Number: 2019-253

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if directly visible from the beach.



Name: VSC Turtle Safe Wall Pack
Catalog Number: VSC-1-xx-xxxx-x-TS-xxx-WM-xx-LS
Manufacturer: Visionaire Lighting LLC
Required Options: Must be installed with dropdown shielding
Light Source: Amber LED
Link: [Visionaire Lighting LLC](#)
Wildlife Lighting Certification Number: 2019-254

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if directly visible from the beach.



Name: HLWPC2 Wallpack
Catalog Number: HLWPC2 P10/P30
LED Amber
Manufacturer: Acuity Brands Lighting, Inc.
Required Options: Must be installed with dropdown shielding
Light Source: Amber LED
Link: [Acuity Brands Lighting, Inc.](#)
Wildlife Lighting Certification Number: 2019-274

- Light must be downward directed.
- Maximum mounting height of 8 feet from the floor.
- Not recommended for use above the first habitable floor.
- Not recommended for use on the beach side of a structure.
- Additional shielding may be necessary if directly visible from the beach.